



WIRE MESH CATALOG




MBE, DBE, ACDBE CERTIFIED
HUB Zone - In progress

www.sd-ind.com
212-348-8000
sales@sd-ind.com

TRIPLE-WEAVE ARCHITECTURAL MESH

SDI-A16

The **SDI-A16** architectural woven wire mesh pattern is a rigid cable/intercrimp hybrid that maximizes the open area of this popular rectangular weave. This large-scale mesh screen pattern uses a set of three intercrimp fill wires and can be customized to increase the open area percent. Both rigid cable and triple shute patterns can be adapted in this way to meet specific design needs.



SPECIFICATIONS



Percentage Open 76.9 %	Overall Thickness 0.402	Crimp Style Multistrand Intercrimp	Aspect Ratio 3.25:1
Opening Limitation 1.000	Weight 1.15 lbs./sq. ft.	Max Length 168 Inches (A)	Max Height 96 Inches (B)

Material:

Stainless Steel, Plain Steel, Weathering Steel
Pre-Galvanized, Galfan, Brass, Bronze, Copper
Aluminum

Finish:

Antique Brass, Antique Copper, Antique Nickel
Black Copper, Satin Brass, Champagne Bronze
Powder Coat





YOU IMAGINE. WE BUILD.

Scope	Master Format Code	NAICS Code
Guardrails & Handrails	05 52 00	332323
Bollards	32 39 00	332323
Canopies	10 73 13	332311
Fencing	32 31 00	332323
Gates	08 34 53	332323
Metal Staircases	05 51 00	332323
Stair Railings	05 52 13	332323
Bicycle Racks	12 93 13	332323
Cladding	07 42 13	332322
Roofing	07 41 13 & 07 53 23	332322 & 238160
Escalator & Elevator Enclosures	14 91 23	238290
Ticket Booths	13 41 13	332311
Wayfinding	10 14 23	339950
Sign Boxes	10 14 33	339950
Logos & Letters	10 14 43	339950
Directories	10 14 23	339950
Bulletin Boards	10 14 23	339950
Plaques	10 14 13	339950
ADA Signage	10 14 00	339950
Glass & Glazing	08 80 00	327215

MASTER FORMAT & NAICS CODE