



WIRE MESH CATALOG




MBE & DBE CERTIFIED
SBE / HUBZONE - IN PROGRESS

www.sd-ind.com
212-348-8000
sales@sd-ind.com

DUAL-HELIX WOVEN MESH

SDI-C14

The **SDI-C14** architectural woven wire mesh features a distinctive circular pattern created by a pair of nested helical crimped wires. Its unique reflective surfaces are perfectly aligned, doubling the visual appeal. This double-woven design not only enhances strength but also makes it an excellent choice for railings, screen walls, space dividers, signage, and a variety of other interior and exterior applications.



SPECIFICATIONS



Percentage Open 41.4 %	Overall Thickness 0.160	Crimp Style TwinHelix Weave	Aspect Ratio 1.00:1
Opening Limitation .430	Weight 1.72 lbs./sq. ft.	Max Length 120 Inches (A)	Max Height 60 Inches (B)

Material:


Stainless Steel, Plain Steel, Brass, Bronze
Copper

Finish:

Antique Brass, Antique Copper, Antique Nickle
Black Copper, Satin Brass, Champagne Bronze
Powder Coat, US10A, US10B



Ø1/16" Helical Wire
Ø1/16" Helical Wire





CONTACT

CORPORATE OFFICE

250 Pehle Ave, Suite 200, Saddle Brook, NJ 07663

FACTORY ADDRESS

213 Porter Road, Conroe, TX 77301



www.sd-ind.com



212-348-8000



sales@sd-ind.com

MBE & DBE Certified

SBE / HUBZONE - IN PROGRESS

WHERE
IMAGINATION
MEETS
FABRICATION

