



ROOFING

CATALOG

CERTIFICATIONS

Member of AISC | AISC Certified | Member of AWS |
HUB - TxCPA | DBE/ACDBE - PANYNJ | MBE - PANYNJ |
SBE - PANYNJ | DBE/ACDBE - TxDOT | SBE - TxDOT |
DBE/ACDBE - Caltrans | MBE - NYC SBS | NJPW Contractor |
MBE - NYC SCA | Cage Code - SBA

SD[®]
INDUSTRIES

www.sd-ind.com
212-348-8000
sales@sd-ind.com

CONTENTS

06 Standing Seam Metal Roofing

08 Ethylene Propylene Diene Monomer (EPDM)

10 Thermoplastic Polyolefin (TPO)





STANDING SEAM METAL ROOFING


Standing Seam Metal Roofing is a durable and visually striking roofing system that provides superior weather resistance and long-lasting protection. The interlocking panels are raised above the roof deck, creating a seamless, watertight design that prevents leaks and minimizes maintenance. Ideal for both commercial and industrial applications, this roofing offers exceptional energy efficiency and is available in a variety of materials and finishes.

DETAILS

| | |
|-----------------------------|---|
| Market Applications | Residential Commercial Industrial Institutional Transportation Warehouses Airports Stadiums |
| Dimensions | <p>Widths 12"-24"; Seam</p> <p>Heights 0.75"-4"; Lengths: up to 50'+</p> |
| Installation Methods | Hidden clips Snap-lock Mechanical lock Direct fastener Structural deck attachment |
| Customization | Color Width Seam type Curved/tapered panels solar-ready options |
| Material | Steel Galvalume Aluminum Zinc Copper |
| Finish | PVDF/Kynar Polyester Powder-Coated Galvanized Anodized Matte Metallic Textured |



Snap-Lock Panels



Mechanical Lock Panels



Nail/ Fastener-Lock Panels



Structural Standing Seam Panels



ETHYLENE PROPYLENE DIENE MONOMER (EPDM)


EPDM roofing is a versatile, rubber-based membrane known for its outstanding weather resistance and durability. It is particularly resistant to UV rays, ozone, and extreme temperatures, making it an ideal solution for flat or low-slope roofs. EPDM provides a highly effective barrier against leaks and is low-maintenance, making it a cost-effective choice for commercial and industrial buildings.

DETAILS

| | | | | | | | |
|-----------------------------|--|------------------|---------------|----------------|-----------|-----------|--------------|
| Market Applications | Residential Commercial Industrial Institutional Transportation Warehouses Airports Stadiums | | | | | | |
| Dimensions | <table border="0"> <tr> <td>Thickness</td> <td>Widths</td> <td>Lengths</td> </tr> <tr> <td>45–90 mil</td> <td>Up to 50'</td> <td>Custom Rolls</td> </tr> </table> | Thickness | Widths | Lengths | 45–90 mil | Up to 50' | Custom Rolls |
| Thickness | Widths | Lengths | | | | | |
| 45–90 mil | Up to 50' | Custom Rolls | | | | | |
| Installation Methods | Fully adhered Ballasted Mechanically fastened | | | | | | |
| Customization | Color (black/white) Thickness Reinforcement Seam type | | | | | | |
| Material | EPDM synthetic rubber membrane | | | | | | |
| Finish | Smooth Textured UV-resistant coatings | | | | | | |



Black EPDM



White EPDM



Reinforced EPDM



TPO ROOFING


TPO roofing is a reflective, energy-efficient roofing system that is highly resistant to UV radiation, chemicals, and punctures. Made from a single-ply membrane, TPO offers a cost-effective solution for commercial roofs, particularly in warm climates. Its bright white surface enhances energy efficiency by reflecting sunlight, helping to lower cooling costs and improve sustainability.

DETAILS

| | | | | | | | |
|-----------------------------|--|------------------|---------------|----------------|-----------|-----------|--------------|
| Market Applications | Residential Commercial Industrial Institutional Transportation Warehouses Airports Stadiums | | | | | | |
| Dimensions | <table border="0"> <tr> <td>Thickness</td> <td>Widths</td> <td>Lengths</td> </tr> <tr> <td>45–80 mil</td> <td>Up to 12'</td> <td>Custom Rolls</td> </tr> </table> | Thickness | Widths | Lengths | 45–80 mil | Up to 12' | Custom Rolls |
| Thickness | Widths | Lengths | | | | | |
| 45–80 mil | Up to 12' | Custom Rolls | | | | | |
| Installation Methods | Mechanically fastened Fully adhered Ballasted Heat-welded seams | | | | | | |
| Customization | Color (white, gray, tan) Thickness Reinforcement Energy-efficient options | | | | | | |
| Material | Thermoplastic Polyolefin single-ply membrane | | | | | | |
| Finish | Smooth UV-resistant Reflective Energy Star finishes | | | | | | |



Standard TPO



Reinforced TPO



Fleece-Backed TPO

ROOFING BUILT TO LAST – SECURE, STRONG, AND STYLED FOR EVERY NEED.

SECURITY & SAFETY

Engineered to protect against weather, fire, and structural risks.

DURABILITY

lasting performance with minimal maintenance, designed for decades of service.

CUSTOMIZATION

Wide range of materials, colors, and profiles tailored to project requirements.

VERSATILITY

Suitable for residential, commercial, and industrial applications.

AESTHETIC APPEAL

Modern finishes that enhance architectural design without compromising strength.



YOU IMAGINE. WE BUILD.

| Scope | Master Format Code | NAICS Code |
|---------------------------------|---------------------|-----------------|
| Guardrails & Handrails | 05 52 00 | 332323 |
| Bollards | 32 39 00 | 332323 |
| Canopies | 10 73 13 | 332311 |
| Fencing | 32 31 00 | 332323 |
| Gates | 08 34 53 | 332323 |
| Metal Staircases | 05 51 00 | 332323 |
| Stair Railings | 05 52 13 | 332323 |
| Bicycle Racks | 12 93 13 | 332323 |
| Cladding | 07 42 13 | 332322 |
| Roofing | 07 41 13 & 07 53 23 | 332322 & 238160 |
| Escalator & Elevator Enclosures | 14 91 23 | 238290 |
| Ticket Booths | 13 41 13 | 332311 |
| Wayfinding | 10 14 23 | 339950 |
| Sign Boxes | 10 14 33 | 339950 |
| Logos & Letters | 10 14 43 | 339950 |
| Directories | 10 14 23 | 339950 |
| Bulletin Boards | 10 14 23 | 339950 |
| Plaques | 10 14 13 | 339950 |
| ADA Signage | 10 14 00 | 339950 |
| Glass & Glazing | 08 80 00 | 327215 |

MASTER FORMAT & NAICS CODES