




WIRE MESH CATALOG




MBE, DBE, ACDBE CERTIFIED
HUB Zone - In progress

www.sd-ind.com
212-348-8000
sales@sd-ind.com

SYMMETRIC STRUCTURAL WIRE GRID

SDI-C03

The **SDI-C03** architectural wire mesh features a textured surface with smooth flat wires, creating a directional emphasis for space design. Often used with a solid backer for surfacing, it is symmetric on both sides and available in mixed metal or all stainless steel. When mixing alloys, the warp wires remain stainless, while crimped cross wires can be Copper, Bronze, or Brass.



SPECIFICATIONS



Percentage Open 0.0 %	Overall Thickness 0.175	Crimp Style Symmetric Texture	Aspect Ratio 1.09:1
Opening Limitation 0.000	Weight 2.21 lbs./sq. ft.	Max Length 120 Inches (A)	Max Height 60 Inches (B)

Material:

Stainless Steel, Brass, Bronze

Finish:

US10A





YOU IMAGINE. WE BUILD.

Scope	Master Format Code	NAICS Code
Guardrails & Handrails	05 52 00	332323
Bollards	32 39 00	332323
Canopies	10 73 13	332311
Fencing	32 31 00	332323
Gates	08 34 53	332323
Metal Staircases	05 51 00	332323
Stair Railings	05 52 13	332323
Bicycle Racks	12 93 13	332323
Cladding	07 42 13	332322
Roofing	07 41 13 & 07 53 23	332322 & 238160
Escalator & Elevator Enclosures	14 91 23	238290
Ticket Booths	13 41 13	332311
Wayfinding	10 14 23	339950
Sign Boxes	10 14 33	339950
Logos & Letters	10 14 43	339950
Directories	10 14 23	339950
Bulletin Boards	10 14 23	339950
Plaques	10 14 13	339950
ADA Signage	10 14 00	339950
Glass & Glazing	08 80 00	327215

MASTER FORMAT & NAICS CODE