



WIRE MESH CATALOG




MBE, DBE, ACDBE CERTIFIED
HUB Zone - In progress

www.sd-ind.com
212-348-8000
sales@sd-ind.com

FLEXIBLE SPIRAL-LINK MESH

SDI-B03

The **SDI-B03** is a flexible mesh pattern featuring substantial flat spiral links. Tensioning the Dune wire mesh makes it an effective, cost-saving option for façades, room dividers, and railing infill panels. Available in T316 stainless steel, copper-based alloys, or aluminum, this pattern also offers powder coating options to suit any project aesthetic. Multiple flexible mesh mounting systems are available to bring your vision to life. Contact us to explore the options that best fit your project needs.



SPECIFICATIONS

Percentage Open 65.0 %	Overall Thickness 0.875	Crimp Style BT-Flex Weave	Aspect Ratio 2.50:1
Opening Limitation 0.985	Weight 0.90 lbs./sq. ft.	Max Length 1200 Inches (A)	Max Height 216 Inches (B)

Material:

Stainless Steel, Copper

Finish:

Powder Coat - Various



YOU IMAGINE. WE BUILD.

Scope	Master Format Code	NAICS Code
Guardrails & Handrails	05 52 00	332323
Bollards	32 39 00	332323
Canopies	10 73 13	332311
Fencing	32 31 00	332323
Gates	08 34 53	332323
Metal Staircases	05 51 00	332323
Stair Railings	05 52 13	332323
Bicycle Racks	12 93 13	332323
Cladding	07 42 13	332322
Roofing	07 41 13 & 07 53 23	332322 & 238160
Escalator & Elevator Enclosures	14 91 23	238290
Ticket Booths	13 41 13	332311
Wayfinding	10 14 23	339950
Sign Boxes	10 14 33	339950
Logos & Letters	10 14 43	339950
Directories	10 14 23	339950
Bulletin Boards	10 14 23	339950
Plaques	10 14 13	339950
ADA Signage	10 14 00	339950
Glass & Glazing	08 80 00	327215

MASTER FORMAT & NAICS CODE