



WIRE MESH CATALOG




MBE & DBE CERTIFIED
SBE / HUBZONE - IN PROGRESS

www.sd-ind.com
212-348-8000
sales@sd-ind.com

FACETED OPAQUE WIRE MESH

SDI-C01

The **SDI-C01** architectural wire mesh features an opaque weave with embossing technology on flat top cross wires, creating a faceted cladding material. The slight facets produce unique reflective patterns from a near-perpendicular view. This asymmetric mesh is commonly mounted on a rigid backer for vertical and horizontal surfacing, making it ideal for elevators, lobbies, airports, and retail environments.



SPECIFICATIONS






Percentage Open 0.0 %	Overall Thickness 0.206	Crimp Style PDFT-Emboss Lock	Aspect Ratio 10.56:1
Opening Limitation 0.000	Weight 2.36 lbs./sq. ft.	Max Length 120 Inches (A)	Max Height 60 Inches (B)

Material:

Stainless Steel, Brass, Bronze

Finish:

US10A, US10B





CONTACT

CORPORATE OFFICE

250 Pehle Ave, Suite 200, Saddle Brook, NJ 07663

FACTORY ADDRESS

213 Porter Road, Conroe, TX 77301



www.sd-ind.com



212-348-8000



sales@sd-ind.com

MBE & DBE Certified

SBE / HUBZONE - IN PROGRESS

WHERE
IMAGINATION
MEETS
FABRICATION

